



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,855	06/27/2003	Francesco Ciovacco	2110-47-3	8247

7590 02/14/2006

GRAYBEAL JACKSON HALEY LLP
Suite 350
155-108th Avenue N.E.
Bellevue, WA 98004-5973

EXAMINER

NADAV, ORI

ART UNIT	PAPER NUMBER
----------	--------------

2811

DATE MAILED: 02/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/608,855	Applicant(s) CIOVACCO ET AL.	
	Examiner Ori Nadav	Art Unit 2811	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) ____ is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 2-6, 8, 21, 24-31, 41-44 and 46 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claimed limitations of varying an etching voltage between said plasma and said wafer, as recited in claims 2, 24 and 46, are unclear as to how and what is meant by varying an etching voltage between two physical locations (plasma and wafer).

The claimed limitations of a stop layer under a resist layer, as recited in claim 21, are unclear as to the structural relationship between the stop layer the resist layer and the trench and/or the depression.

The claimed limitations of removing portions of the substrate by parts in series, and depositing a second polymeric film on the walls by pads in series, as recited in claim 24, are unclear as to what is meant by "removing/depositing...parts in series".

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 19-20 and 45-46, insofar as in compliance with 35 U.S.C. 112, are rejected under 35 U.S.C. 102(b) as being anticipated by Chen et al. (5,807,789).

Regarding claims 19-20, Chen et al. teach in figures 4-6 and related text a method comprising:

forming a trench in an unmasked area of a substrate, the trench having inclined walls with a substantially constant slope and with rounded top corners (column 2, line 55); and

filling the trench with a dielectric material, wherein forming the trench further comprises:

performing a first plasma etch; and performing a second plasma etch.

Regarding claims 45-46, Chen et al. teach in figures 4-6 and related text a process for forming trenches with an oblique profile and rounded top corners in a wafer, comprising the steps of:

through a first polymerizing etch, forming in a semiconductor wafer depressions delimited by rounded top corners (column 2, line 55); and

Art Unit: 2811

through a second polymerizing etch, opening trenches at said depressions; characterized in that said second polymerizing etch is performed in variable plasma conditions (column 2, line 60 to column 4, line 18), to form trenches with oblique profile having approximately a same constant angle relative to a surface parallel to a face of the wafer, wherein said step of forming said second polymerizing etch comprises varying an etching voltage between said plasma and said wafer (this step is inherent in Chen et al.'s device).

Claims 19-21, insofar as in compliance with 35 U.S.C. 112, are rejected under 35 U.S.C. 102(a) as being anticipated by Applicant Admitted Prior Art (AAPA).

Regarding claims 19-21, AAPA teaches in figures 7-10 and related text a method comprising:

forming a trench in an unmasked area of a substrate, the trench having inclined walls with a substantially constant slope and with rounded top corners; and

filling the trench with a dielectric material, wherein forming the trench further comprises:

performing a first plasma etch; and performing a second plasma etch, and

forming a depression in the unmasked area of the substrate, and

forming a first polymeric film 14 on the walls defined by the depression and a stop layer 12 under a resist layer 13.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 21-22, 24-33, 41-44 and 47-49, insofar as in compliance with 35 U.S.C. 112, are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. in view of Applicant Admitted Prior Art (AAPA).

Regarding claim 21, Chen et al. teach substantially the entire claimed structure, as applied to claim 19 above, including forming a depression in the unmasked area of the substrate, but except forming a first polymeric film on the walls defined by the depression and a stop layer under a resist layer.

AAPA teaches in figures 7-10 and related text forming a depression in the unmasked area of the substrate, and forming a first polymeric film 14 on the walls defined by the depression and a stop layer 12 under a resist layer 13.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a first polymeric film on the walls defined by the depression and a stop layer under a resist layer, in Chen et al.'s device in order to simplify the processing steps of making the device by forming the device by a known conventional method.

Regarding claim 24, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to place Chen et al.'s wafer in an etching chamber and to supply a constant chamber voltage thereto, in order to form the device in a known processing location (an etching chamber).

Regarding claims 22 and 26, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Cl_2 and N_2 and a substance chosen in the group comprising CHF_3 , CH_2F_2 in the polymerizing etch in Chen et al.'s device, in order to improve the etching steps of making the device.

Regarding claims 32-33, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to fill Chen et al.'s trench with a silicon oxide by CVD, in order to simplify the processing steps of making the device by depositing a known dielectric material in a conventional deposition method.

Regarding claims 24-25, 27-31 and 44, Chen et al. teach filling the chamber with a plasma mixture of gases; setting the temperature, pressure and gas flow; setting a chamber voltage; setting a series wafer voltages; creating a series of etching voltages between the substrate and the plasma; removing portions of the substrate by parts in series; and depositing a second polymeric film on the walls by pads in series, wherein the plasma mixture of gases comprises mixing hydrogen bromide and oxygen, wherein a rate of depositing the second polymeric film increases as the absolute value of the

Art Unit: 2811

etching voltages increase, wherein depositing the second polymeric film further comprises controlling the growth of the walls of the trench by the series of etching voltages, wherein creating a series of wafer voltages further comprises setting the wafer voltage to 10 volts for a first thirty seconds, setting the wafer voltage to 20 volts for a second subsequent thirty seconds, and setting the wafer voltage to 30 volts for a third subsequent thirty seconds, exposing decreasing portions of the wafer; and keeping a slope of the walls of the trench substantially constant, wherein the slope the walls is at an angle between sixty-five and eighty-five degrees to a vertical, wherein the steps have different durations.

Regarding claims 41-43, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a non-uniform voltage step function being a discrete parabolic voltage function and a continuous parabolic voltage function in Chen et al.'s device in order to improve the device characteristics by using routine experimentation and optimization.

Regarding claims 47-49, Chen et al. teach substantially the entire claimed structure, as applied to claim 45 above, except stating increasing the etching voltage by a discrete-ramp voltage function having steps of constant duration. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to increase the etching voltage by a discrete-ramp voltage function having steps of constant duration in

Art Unit: 2811

Chen et al.'s device in order to obtain the best device characteristics, subject to routine experimentation and optimization.

Claims 1-6, 8-11 and 14-15, insofar as in compliance with 35 U.S.C. 112, are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. (5,807,789) in view of Lee et al. (6,287,938).

Chen et al. teach in figures 4-6 and related text a process for forming trenches with an oblique profile and rounded top corners, comprising the steps of:

- through a first polymerizing etch, forming in a semiconductor wafer depressions delimited by rounded top corners (column 2, line 55); and

- through a second polymerizing etch, opening trenches at said depressions;

- wherein said second polymerizing etch is performed in variable plasma conditions (column 2, line 60 to column 4, line 18) around the semiconductor wafer to form trenches with oblique profiles having a substantially constant slope,

- wherein said step of forming said second polymerizing etch comprises varying an etching voltage between a plasma around the wafer and said wafer (this step is inherent in Chen et al.'s device),

- wherein said step of varying comprises increasing said etching voltage (this step is inherent in Chen et al.'s device),

- wherein said second polymerizing etch is an HBr- and O₂-based etch,

- wherein said step of forming a first polymerizing etch and said step of forming a second polymerizing etch are performed using a masking structure,

wherein the process comprises the step of filling said trench with a dielectric material.

Chen et al. do not teach forming trenches having a substantially constant slope throughout substantially an entire sidewall of each trench.

Lee et al. teach in figure 3 and related text trenches having a substantially constant slope throughout substantially an entire sidewall of each trench.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to form trenches having a substantially constant slope throughout substantially an entire sidewall of each trench in Chen et al.'s device in order to prevent residual stress concentration.

Regarding claims 4-6, Chen et al. and Lee et al. teach substantially the entire claimed structure, as applied to claim 1 above, except an etching voltage being a discrete-ramp voltage of steps of constant duration of approximately 30 seconds. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use an etching voltage being a discrete-ramp voltage of steps of constant duration of approximately 30 seconds in prior art's device, in order to obtain the best device characteristics, subject to routine experimentation and optimization.

Regarding claim 8, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to place prior art's wafer in an etching chamber and to

Art Unit: 2811

supply a constant chamber voltage thereto in prior art's device, in order to form the device in a known processing location (an etching chamber).

Regarding claims 10-11, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Cl₂ and N₂ and a substance chosen in the group comprising CHF₃, CH₂F₂ in the polymerizing etch in prior art's device, in order to improve the etching steps of making the device.

Response to Arguments

Applicant argues that the claimed limitation of varying an etching voltage between plasma and wafer is clear.

The claimed limitation of varying an etching voltage between plasma and wafer is unclear as to how and what is meant by varying an etching voltage between two physical locations (plasma and wafer). That is, how one can compare a voltage to two physical locations.

Applicant argues that the claimed limitations of removing portions of the substrate by parts in series, and depositing a second polymeric film on the walls by pads in series, as recited in claim 24, is clear.

Applicant's explanation in pages 10-11 of the response filed on 12/9/2005 is clear. However, the claimed limitations of removing portions of the substrate by parts in

Art Unit: 2811

series, and depositing a second polymeric film on the walls by pads in series, as recited in claim 24, is still unclear, because the term "series" can not be explicitly interpreted without ambiguity.

Applicant argues that Chen et al. do not teach trenches with oblique profiles having a substantially constant slope.

Portions of the sidewalls of Chen et al.'s trench have a substantially constant slope. Even applicant admits that any curved surface can be characterized as having a constant slope between two points on the surface if these two points are chosen sufficiently close together. Therefore, Chen et al. teach trenches with oblique profiles having a substantially constant slope, as claimed.


Applicant's arguments with respect to claims 1-6, 8-11 and 14-16 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ori Nadav whose telephone number is 571-272-1660. The examiner can normally be reached between the hours of 7 AM to 4 PM (Eastern Standard Time) Monday through Friday.

Art Unit: 2811

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Lee can be reached on 571-272-1732. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Ori Nadav', is positioned above the printed name and title.

ORI NADAV
PRIMARY EXAMINER
TECHNOLOGY CENTER 2800

O.N.
2/10/06